

University of Groningen

Independence among physiological traits suggests flexibility in the face of ecological demands on phenotypes

Buehler, D. M.; Vezina, F.; Goymann, W.; Schwabl, I.; Versteegh, M.; Tieleman, B. I.; Piersma, T.

Published in:
Journal of Evolutionary Biology

DOI:
[10.1111/j.1420-9101.2012.02543.x](https://doi.org/10.1111/j.1420-9101.2012.02543.x)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2012

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Buehler, D. M., Vezina, F., Goymann, W., Schwabl, I., Versteegh, M., Tieleman, B. I., & Piersma, T. (2012). Independence among physiological traits suggests flexibility in the face of ecological demands on phenotypes. *Journal of Evolutionary Biology*, 25(8), 1600-1613. <https://doi.org/10.1111/j.1420-9101.2012.02543.x>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Supplementary Tables

Table S1: Principal component loadings (after varimax rotation) among individuals (monthly measures pooled). The highest loading for a measure across the components is shown in bold.

5

	PC1	PC2	PC3
Microbicidal capacity against <i>S. aureus</i>	-0.04	0.78	0.14
Microbicidal capacity against <i>C. albicans</i>	-0.01	0.73	-0.06
Microbicidal capacity against <i>E. coli</i>	0.08	0.05	0.64
Heterophil concentration	0.40	0.64	0.25
Lymphocyte concentration	0.87	0.00	-0.11
Monocyte concentration	0.87	0.07	0.10
Complement mediated lysis	0.00	0.16	0.72
Natural antibody mediated agglutination	-0.06	-0.01	0.70
Eigenvalue	1.67	1.58	1.53
Variance (%) per component	0.21	0.20	0.19
Cumulative variance (%)	0.21	0.41	0.60

10